

# LENERGIZEE BUSINESS OCPP DLB 22KW SOCKET MID BLACK MAT RAL9005

DETAILED CARD



## TECHNICAL PARAMETERS

<b>Index:</b>	424342
<b>EAN:</b>	5905963424342
<b>Product line:</b>	Business OCPP
<b>Category type:</b>	Wallbox AC
<b>Number of phases:</b>	3
<b>Charging mode:</b>	3
<b>Rated current (A):</b>	32
<b>Cross-section of the power cable [mm<sup>2</sup>]:</b>	from 6 to 10
<b>Charging power [kW]:</b>	22

## CHARACTERISTICS

The Lenergizee BUSINESS version is equipped with the open communication protocol OCPP 1.6 J, which enables integration with various charging service operators. This allows the station to be managed and enables energy billing, i.e. the station can be a public charging station within the meaning of the Electromobility and Alternative Fuels Act. An additional requirement is the registration and submission of data to the Alternative Fuels Infrastructure Register (EIPA) and the ongoing updating of station information, as required by the Act.

## APPLICATION

Lenergizee BUSINESS provides a versatile solution for charging electric vehicles in a variety of public and business locations, providing safety convenience, control and efficiency of the charging infrastructure.

Intended use: corporate car parks, office complexes, hotels, restaurants, shops/retail facilities, ev car service/dealers, fitness clubs, offices, public places, charging station operators.

# LENERGIZEE BUSINESS OCPP DLB 22KW SOCKET MID BLACK MAT RAL9005

DETAILED CARD

## TECHNICAL PARAMETERS TABLE

<b>Index:</b>	424342	<b>The way of painting:</b>	powder
<b>EAN:</b>	5905963424342	<b>Type of housing finish:</b>	czarny RAL9005 mat
<b>Product line:</b>	Business OCPP	<b>Net weight [kg]:</b>	5
<b>Category type:</b>	Wallbox AC	<b>Gross weight [kg]:</b>	5.500
<b>Number of phases:</b>	3	<b>Mounting version:</b>	wall-mounted
<b>Charging mode:</b>	3	<b>Maximum charging current: [A]:</b>	32
<b>Rated current (A):</b>	32	<b>Number on the palette [pcs]:</b>	36
<b>Cross-section of the power cable [mm<sup>2</sup>]:</b>	from 6 to 10	<b>MID integrated energy meter:</b>	yes
<b>Colour of the body:</b>	black	<b>AC voltage range [V]:</b>	3 x 230
<b>Socket type:</b>	type 2	<b>Electrical protection class:</b>	I
<b>Frequency [Hz]:</b>	50-60	<b>Mounting dimensions [mm]:</b>	149/85
<b>Sockets:</b>	1	<b>Charging power regulation:</b>	7.4. 11. 22kW
<b>Network layout:</b>	TN-TT (single-phase and three-phase)	<b>Overvoltage category:</b>	external protection required - TYPE II
<b>Dimensions (H/W/T/S) [mm]:</b>	290/300/190	<b>Charging power [kW]:</b>	22
<b>EMC class:</b>	B (residential, business areas, commercial)	<b>Cable type:</b>	simple
<b>Zintegrowane urządzenia ochronne:</b>	protection against DC current leakage $\leq 6\text{mA}$	<b>Integrated energy meter:</b>	yes
<b>Integrated security:</b>	protection against short circuit to ground. protection against the effects of interrupted communication between the car and the wallbox	<b>Authorization:</b>	application and RFID
<b>Surge protection [kV]:</b>	2	<b>DLB - dynamic power balancing:</b>	tak
<b>Ingress protection:</b>	IP54	<b>Power cord entry:</b>	Dławnica od dołu. Dławnica na tylnej ścianie.
<b>Impact resistance:</b>	IK10	<b>Power consumption in standby [W]:</b>	2.80
<b>Vandalproof:</b>	yes	<b>Destiny:</b>	inwards, outwards
<b>Working temperature [°C]:</b>	from -25 to +45	<b>Blend color:</b>	czarny RAL9005 mat
<b>Storage temperature [degrees C]:</b>	from -40 to +50	<b>Additional accessories:</b>	Leg, wall cover, antivandal
<b>Communication lighting:</b>	LEDs in 3 colors: blue. green, red. Description in the manual.	<b>Warranty [years]:</b>	3
<b>Management application:</b>	tak, iOS, Android	<b>CE certificate:</b>	<a href="#">20/2024</a>
<b>Material of the body:</b>	ABS, steel	<b>Manual:</b>	<a href="#">Download PDF</a>

# LENERGIZEE BUSINESS OCPP DLB 22KW SOCKET MID BLACK MAT RAL9005


DETAILED CARD

## ACCESSORIES AVAILABLE

index	Name
424281	LENERGIZEE cable hanger RAL9005
424298	LENERGIZEE wall cover 500x670mm RAL9005



LENERGIZEE cable hanger  
RAL9005 (424281)



LENERGIZEE wall cover 500x670mm  
RAL9005 (424298)

Card creation date: 16 December 2024

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. \* Parameter tolerance is +/- 10%



This product is a subject to electric and electronic waste equipment regulations (WEEE).



Certificate CE - Nr: 20/2024

**lenergizee**

Luxmat Investment sp. z o.o.  
ul. Kórnicka 52, Środa Wielkopolska 63-000  
NIP: 7861701311, kontakt@lenergizee.pl, lenergizee.pl